


20
23



meet nature
in its different
EXPRESSIONS



Adventurous
nature



600x
600mm



FULLBODY TILES



HIGH
STRENGTH



<0.05% WATER
absorption



SLIP
RESISTANT



MAINTENANCE
FREE

SIZE : 600x600mm

FINISH : SATIN / RUSTIC / POLISH

THICKNESS : 9mm

FULLBODY
TILES



DENSE COFFEE



DENSE CREMA



DENSE COPPER



DENSE GREY



DENSE NEGRO



DENSE LUX



DENSE VERDE



DENSE SAHARA

DENSE COPPER




DENSE NEGRO

SIZE : 600x600mm

FINISH : SATIN

THICKNESS : 9mm

FULLBODY
TILES



FLOAT XL GREY



FLOAT GREY



FLOAT JET BLACK



FLOAT CREMA



FLOAT MUSHROOM



FLOAT KOTTA



FLOAT MUSHROOM

SIZE : 600x600mm

FINISH : SATIN / RUSTIC / POLISH

THICKNESS : 9mm

FULLBODY
TILES



GLIMPSE BLACK



GLIMPSE WHITE



GLIMPSE BLACK

SIZE : 600x600mm

FINISH : SATIN

THICKNESS : 9mm

FULLBODY
TILES



MOSAIC WHITE



MOSAIC NERO



MOSAIC GREY



MOSAIC COPPER

MOSAIC WHITE



MOSAIC GREY

Tranquil
creation



600x
600mm

[Thickness - **16mm**]



FULLBODY
TILES



HIGH
STRENGTH



<0.05% WATER
absorption



SLIP
RESISTANT



MAINTENANCE
FREE

SIZE : 600x600mm

FINISH : SATIN / RUSTIC

THICKNESS : 16mm

FULLBODY
TILES



DENSE COFFEE



DENSE CREMA



DENSE LUX



DENSE GREY




DENSE NEGRO




DENSE SAHARA



DENSE VERDE




DENSE LUX



DENSE SAHARA

Elemental

world



600x
1200mm



FULLBODY TILES



HIGH
STRENGTH



<0.05% WATER
absorption



SLIP
RESISTANT



MAINTENANCE
FREE

SIZE : 600x1200mm

FINISH : SATIN

THICKNESS : 9mm

FULLBODY
TILES



DENSE GREY



DENSE CREMA



DENSE COFFEE



DENSE NEGRO

DENSE GREY

SIZE : 600x1200mm

FINISH : SATIN

THICKNESS : 9mm

FULLBODY
TILES



DENSE VERDE



DENSE SAHARA



DENSE VERDE



DENSE LUX



DENSE CREMA

SIZE : 600x1200mm


FINISH : SATIN

THICKNESS : 9mm

FULLBODY
TILES



FLOAT CREMA



FLOAT XL GREY



FLOAT GREY



FLOAT JET BLACK



FLOAT CREMA



FLOAT MUSHROOM



FLOAT KOTA



FLOAT GREY

SIZE : 600x1200mm

FINISH : SATIN / POLISH

THICKNESS : 9mm

FULLBODY
TILES



GLIMPSE BLACK



GLIMPSE WHITE

GLIMPSE WHITE



GLIMPSE WHITE

SIZE : 600x1200mm

FINISH : SATIN / POLISH

THICKNESS : 9mm

FULLBODY
TILES



MOSAIC BROWN



MOSAIC FOSSIL



MOSAIC GALAXY



MOSAIC GREY



MOSAIC NERO



MOSAIC WHITE

MOSAIC POLISH GALAXY



MOSAIC POLISH WHITE

SIZE : 600x1200mm

FINISH : SATIN

THICKNESS : 9mm


FULLBODY
TILES



SLATE NERO



SLATE CREMA



SLATE GREY



SLATE NERO



SLATE CREMA





Gracious
universe

300x
1200mm

[Thickness - **11mm**]



FULL BODY
TILES

-  **HIGH STRENGTH**
-  **<0.05% WATER absorption**
-  **SLIP RESISTANT**
-  **MAINTENANCE FREE**

SIZE : 300x1200mm

FINISH : SATIN

THICKNESS : 11mm

FULLBODY
TILES



DENSE GREY



DENSE NEGRO



DENSE CREMA



DENSE COFFEE



DENSE SAHARA



DENSE VERDE



DENSE LUX

DENSE COFFEE



DENSE CREMA

SIZE : 300x1200mm

FINISH : SATIN / RUSTIC

THICKNESS : 11mm

FULLBODY
TILES



GLIMPSE BLACK



GLIMPSE WHITE

TECHNICAL SPECIFICATION & PACKING DETAILS FOR FULLBODY VITRIFIED TILES 600X600MM

SR.NO.	TEST REFERENCE (IS 13630:2019)	OUR TOLERANCE LIMIT
1	Size variation, IS:13630(pt-1)	+/- 0.2 mm
2	Thickness variation, IS:13630(pt-1)	+/- 0.2 mm
3	Deviation straightness in mm, IS:13630(pt-1)	+/- 0.2 mm
4	Deviation in rectangularity, IS:13630(pt-1)	+/- 0.2 mm
5	War page/curvature, IS: 13630(pt-1)	-0.30 to + 0.40 mm
6	Glossiness	Not A
7	Surface Quality, IS:13630(pt-1)	>98% free from visible defects
8	Water absorption, IS:13630(pt-2)	Av E < 0.5 %
9	Modulus of rupture [N/mm ²] IS:13630(PT-6)	Min. 40
	Breaking Strength (N)	Not Less Than 1500N
10	Surface Abrasion Resistance of Glaze Tiles 1 to V IS:13630(pt-11)	Min.50000 Rev pass Class-V (For VC/RT),
11	Scratch Hardness (Moh's scale), IS:13630(pt-13)	Min6
12	Coefficient of linear Thermal Expansion From ambient temperature to 100c (K-1), IS:13630(pt-40)	6x10-6K-1 ,Max
13	Crazing Resistance Glazed tiles ,IS:13630(pt-9)	4 Cycle @7.5 bar
14	Thermal Shock Resistance , IS 13630(pt-5)	Min 10 Cycle Passed
15	Chemical Resistance IS: 13630(pt-7):2019	Min. Class-5 (Marker test) Min Class 5 Methylene blue test Must be passed)
	Resistance to staining of Un-glaze Tiles Class5-1	Min Class-5
	Resistance to household chemical and swimming pool salts	Class UA
	Resistance to acids and alkalis (with the exception of hydrofluoric acid and its compounds)	Class UHA

NOMINAL SIZE	THICKNESS	FINISH	AVERAGE WEIGHT	NO. TILES PER BOX	COVERAGE PER BOX
600X600MM	9MM	MATT	28.5	4 PCS	1.44 SQ.MTR. 15.5 SQ.FT.
600X600MM	9MM	POLISH	26.6	4 PCS	1.44 SQ.MTR. 15.5 SQ.FT.
600X800MM	16MM	MATT	26	2 PCS	0.72 SQ.MTR. 7.75 SQ.FT.
600X1200MM	9MM	MATT	29	2 PCS	1.44 SQ.MTR. 15.5 SQ.FT.
600X1200MM	9MM	POLISH	28	2 PCS	1.44 SQ.MTR. 15.5 SQ.FT.
300X1200MM	11MM	MATT	36	4 PCS	1.44 SQ.MTR. 15.5 SQ.FT.



GLIMPSE WHITE

Thank You



CORPORATE HOUSE

S1-S4 ,2ND F,HARIGUN PLAZE
JATPAR-PIPLI ROAD,
MORBI-363 642 (GUJRAT)INDIA

MAIL .

qmatceramic@gmail.com

WEB.

www.qmatceramic.com